PREVIEW observation targeting experiment

Cristina Prates, Cihan Sahin and David Richardson ECMWF

Acknowledgements: Andy Lawrence, Claude Gibert and Keir Bovis



Outline

PREVIEW Data Targeting System (DTS)

Process of Targeting: main steps

•Prototype of DTS system: main functionalities

Summary & Future Developments





DTS is a project of EURORISK PREVIEW programme

Aim of the project:

develop a pre-operational system to provide data targeting information and request additional observations to improve short-range (2-3 days) forecasts of potentially high-impact or high uncertainty weather events in Europe.

DTS Project

The DTS was planned to build on the lessons learnt from Atlantic-THORPEX Regional Campaign (A-TReC) (October and November 2003), which attempted for the first time to control a complex set of observing platforms in a realtime. Despite of the success of this programme a significant manual effort was necessary to make it work.

DTS has the ambition of making data targeting a practical and viable concept in the operational environment.

An 11-month trial will take place from February to December 2008: 13 EUCOS members have already confirmed their participation.



Forecast display – A selection of forecast products is available to help the forecast identify suitable meteorological event that will benefit from extra observations.

The data targeting activity is focus on forecast in the T+60 to T+120 hours and high priority is given to situations where available ensemble predictions indicate a potential high-impact weather event, but with a large degree of associated uncertainty.



Forecast display – ECMWF products

Eurorisk Preview - Data Targeting System Deterministic Forecast **EPS** - Probabilities EPS - Extreme Forecast Index **EPS - Mean and Spread**



1. Event Selection

Identification of the meteorological feature for which forecasts are to be improved:

Its time : Verification Time (VT)

Location : Verification Area (VA)

Brief description of the meteorological situation highlighting the extremes (e.g. precipitation, wind gust)





2. Case Proposal

Define a future targeted observation time - Target Time (TT) - typically chosen based on practical constraints (e.g issue instruction and prepare observation platforms for targeting)

Ideally as soon as possible but due to practical constraints at least a minimum of 24 h is required



3.Sensitive Area Prediction (SAP)

Sensitive areas are the regions where extra observations are expected to have the largest impact on the forecasts for the verification area.

Objective techniques:

- Total Energy Singular vectors (TESV) ECMWF
- Ensemble Transform Kalman Filter (ETKF) UKMO

ECMWF

• Others may joint : Meteo-France, MEDEX



Friday 16 November 2007 00 UTC

Deterministic MSLP and Precipitation

t+72



 $EPS - Probability of Precipitation \ge 10mm$



EPS – Probability of wind speed ≥ 10m/s EPS – EFI 10m wind gust





t+72

Friday 16 November 2007 00 UTC

EPS – MSLP Ensemble Mean & spread

EPS – MSLP Ensemble Mean & spread





Thursday 14 November 2007 18 UTC



Increased sensitivity is indicated by darker shading

Forecast range used for case selection 60-120 hours



ECMWF



Targeting Process

4. Observation Targeting

- Based on a comparison of SAP results the location(s) of observation target area(s) will be defined
- Availability of observations:

- ASAP ship sounding ; AMDAR aircraft reports and additional radiosonde ascents

• After reviewing the availability of observation resources request to observation providers will be issued



Targeting Process – Full System







Targeting Process - Prototype



Observation Delivery



⁷ 11th Workshop on Meteorological Operational Systems, Nov 2007

DTS Prototype System

Case Proposal







Case Proposal

November, 2007						
•			Today			•
S	м	Т	W	Т	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	
	Select date					

Proposed Cases

Observations

<u>Show</u> Observations

Administration

Case Evaluation

Case Proposal Deadline: 10/11/2007 at 10:00 UTC

Forecast Charts (EPS Mean/Spread):

<u>2007111212</u> <u>2007111300</u> <u>2007111312</u> <u>2007111400</u> <u>2007111412</u> <u>2007111500</u>

Saturday 10 November 2007 00UTC ©ECMWF Ensemble Forecast t+096 VT: Wednesday 14 November 2007 00UTC Surface: Mean sea level pressure: Ensemble mean (contours, hPa) / Ensemble spread (shaded, hPa)



roposal Form					
Lat1:	62.7	Lon1:	-6.3	Verification Time: 2007111400	
Lat2:	43.2	Lon2:	18	Target Time: 2007111206 🔻	

Case Description

Heavy precipitation and strong winds forecasted for Wednesday over central Europe. Large uncertainty in the MSLP field.

Case Proposal







Case Proposal

Other users can view and add comments to each proposal

Case Proposal					
October, 2007	No Charts available! Charts are updated around 9:00 UTC every morning				
s M T W T F S	Proposed by: dts_meto3 (04/10/2007 at 09:51 UTC)				
1 2 3 4 5 6	Lat1: 52.3 Lon1: 0.2 Verification Time: 2007100700				
7 8 9 10 11 12 13	Lat2: 32.8 Lon2: 24.5 Target Time: 2007100518				
14 15 16 17 18 19 <mark>20</mark>	Case Description:				
21 22 23 24 25 26 27	As U5, but with data time 12 hours earler.				
28 29 30 31	Uncertainty in 500hPa height and to lesser extent in mslp, but mostly in rainfall over Italy				
Select date	as upper trough extending southeast across Austria temporarily picking up cut off drifting				
	east over northern Mediterranean, then disrupting and leaving cut off over southern Italy.				
Proposed Cases	Risk of heavy rain over so uthern Italy. More than 50 mm in 12hrs in deterministic model,				
A1.2007100612	35+mm in 6 hours in GFS.				
D2.2007100612	2 2 Status: Accepted				
D3.2007100612					
D4.2007100612	4 2007100612 Justification By Lead User:				
D5 2007100700	At least worth running SACs. Impact and degree of uncertainty marginal for full trial, but would still				
A6.2007100700	probably run to see here SACs are relative to available obs.				
	Comments for Case 233				
Observations	Observations From: mol				
<u>Show</u> Observations	Time: 04/10/2007 at 09:58 UTC Comment I agree that it is better to have the earlier TT. David				

DTS - Case Selection

- Lead user accepts or rejects proposed cases
- Sensitive area prediction requests are automatically submitted for all accepted cases

	Case Sele	ction		
Proposed Cases	Proposed by: m	nol (03/11/2007 at 09:4	45 UTC)	
A1.2007110712	Lat1: 75.8	Lon1: -10.5	Verification Time:	2007110700
U2.2007110700	Lat2: 56.3	Lon2: 13.8	Target Time:	2007110606
	Case Description	»n:		
Show Cases	associated with Status: Unkno Justifica Discar Accep Unkno	ted	re developing between Iceland a	Ind Norway
	Update			

DTS - Case Selection

- Lead user accepts or rejects proposed cases
- Sensitive area prediction requests are automatically submitted for all accepted cases

	Case Sele	ection					
Proposed Cases	Proposed by: n	no1 (03/11/2007 at 09:	45 UTC)				
<u>A1.2007110712</u> U2.2007110700	Lat1: 75.8 Lon1: -10.5 Verification Time: 2007110700 Lat2: 56.3 Lon2: 13.8 Target Time: 2007110606 Case Description: Case Description: Case Description: Case Description:						
Links	possible stron	ig winds over Scandin	avia - some EPS members have s	trong gradients			
	Status: Accep Justification By Forecast wind may reduce un	associated with intense low-pressure developing between Iceland and Norway Status: Accepted Justification By Lead User: Forecast winds are not extreme, but worth running to see where extra obs may reduce uncertainty					
	Update						

DTS - observation selection

For each accepted case, sensitive area results are plotted overlaid with available observations for both techniques: TESV (ECMWF) and ETKF (UKMO)

Lead user selects region(s) to target

All available observations in each region are automatically selected

Lead user can modify observation list interactively



Extra Observation Proposal

Extra Observation Proposal Deadline: 10/11/2007 at 13:30 UTC

SAC Results :

Observation List:

ecmwf <u>msl z500 t850</u> ukmo <u>msl z500 t850</u>

ECMWF-SAP based on TE-SVs (molst T95) and MSL Valid time: 20071112, 06 UT (Targeting Time) Shading: areas of 8, 4, 2, 1 x10 [°] km² trajectory initialized from fc 20071110, 00 UT +54 h Targ. time: 20071112, 06 UT / Verif. time: 20071114, 00 UT (opt: 42h)



Extra Observation Proposal

Extra Observation Proposal Deadline: 10/11/2007 at 13:30 UTC

SAC Results :

ecmwf <u>msl z500 t850</u> ukmo <u>msl z500 t850</u>

UKMO-SAP based on ECMWF-initialised ETKF summary map and MSLP (black solid contour)



Proposal Form

Lat1:	-	Lon1:
Lat2:	-	Lon2:

Verification Time: 2007111400 Target Time: 2007111206



11th

/ =



Proposed by: moh	n (10/11/2007 at 12:12 UTC)		
Lat1: 70.2	Lon1: -69.3	Verification Time:	2007111400
Lat2: 43.6	Lon2: -20.2	Target Time:	2007111206
Observation List:			
Observations on	Selected Area		
04360:65.60-37	.63		
04270: 61.15 -45	.43		
71909: 63.75 -68	.55		
04220: 68.70 -52	.85		
72712: 46.87 -68	3.00		
71603: 43.87 -66	5.10		
04018: 63.97 -22			
71811: 50.22 -66	5.25		

Extra Observation Requests

DTS generates an email sending a consolidate list of observation requests

-	Subject:	DTS	(Trial	Phase)	Observation Re	port for	03/11/2007,	00 UTC
---	----------	-----	--------	--------	----------------	----------	-------------	--------

From: Cihan Sahin <mot@ecmwf.int>

Date: 03/11/07 14:05

To: mol@ecmwf.int, mot@ecmwf.int, moh@ecmwf.int,

Project: Data Targeting System (Trial Phase)

Dear Madam/Sir,

Please find attached the list of the extra observations based on the initialisation date 03/11/2007, 00 UTC.

Extra Observations Proposal List

Target Time: 06/11/2007, 06 UTC Station ID: 04339, Position: 70.48 -21.95 Station ID: 71801, Position: 47.62 -52.75 Station ID: 04018, Position: 63.97 -22.60 Station ID: 06011, Position: 62.02 -6.77 Station ID: 04270, Position: 61.15 -45.43 Station ID: 04320, Position: 76.77 -18.67 Station ID: 01001, Position: 70.93 -8.67 Station ID: 04360, Position: 65.60 -37.63

Target Time: 06/11/2007, 18 UTC Station ID: 04018, Position: 63.97 -22.60 Station ID: 06260, Position: 52.10 5.18 Station ID: 06011, Position: 62.02 -6.77 Station ID: 10200, Position: 53.38 7.23 Station ID: 07145, Position: 48.77 2.02 Station ID: 07180, Position: 48.68 6.22 Station ID: 01400, Position: 56.90 3.35 Station ID: 01400, Position: 60.13 -1.18 Station ID: 07110, Position: 48.45 -4.42 Station ID: 10618, Position: 49.70 7.33 Station ID: 10400, Position: 51.40 6.97 Station ID: 03953, Position: 51.93 -10.25 Station ID: 01415, Position: 58.87 5.67

Note:

Post Postada

This is an automatic message generated by DTS software. For enquiries or reporting bugs, please contact to;

mol@ecmwf.int, mot@ecmwf.int, moh@ecmwf.int

11th Workshop on Meteorological Operational

4

DTS Prototype : System timetable

Time (UTC)	Activity
9:00	Deterministic and ensemble products displayed for case assessment
9:00-10:00	Users' case suggestions
10:00-10:30	Lead user finalise case decision and submit request for SAP
10:40-12:00	SAP run
12:00	SAP results and observations availability displayed
12:00-13:00	Lead user suggestions for observation areas
13:00-14:00	Comments from users
14:00	Lead user finalise the request of targeted data
14:05	An e-mail is sent with the list of observation requests



• We succeeded to achieve one of the main goals of this project : build in a system that does not rely on significantly on manual effort.

•Easy to use, it has been successfully tested by the UKMO (lead user) during the last two months (17th September 2007) with just a few breakdowns.

• Observation monitoring component is being developed and should be integrated into the system begin of January 2008.



- Effectively request of observations needs to be implemented.
- The Forecast display will be extended to include UKMO forecast products.
- Other experiments requested to use the system:

- TPARC (THORPEX Pacific Asian Regional Campaign) which will take place during Summer 2008;

- MEDEX (Mediterranean Experiment) which will take place between September 2008 and January 2009.

ECMWF

